

BODENKERAMIK · FLOOR CERAMICS



INHALTSVERZEICHNIS TABLE OF CONTENT

UNSERE PRODUKTSERIEN · OUR PRODUCT SERIES

OBJEKTA



6

NATURAL



22

ANTIK



32

COSMOPOLITAN



34

Production of some items is connected to minimum order quantities. Die Produktion einiger Artikel ist an Mindestbestellmengen gebunden.

Variations in colour, play of colours and proportions may be possible due to production/printing reasons. Abweichungen in Farbe, Farbspiel und Proportionen sind produktions- und drucktechnisch bedingt möglich.



Quality made in Germany

We are SASO qualified! Our Saudi Quality Mark Certificate is available.



SMART



38

URBAN




42

CLASSIC



44

TREND



46

Production of some items is connected to minimum order quantities. Die Produktion einiger Artikel ist an Mindestbestellmengen gebunden.

Variations in colour, play of colours and proportions may be possible due to production/printing reasons. Abweichungen in Farbe, Farbspiel und Proportionen sind produktions- und drucktechnisch bedingt möglich.



ÜBER UNS

Wir, die ABC-Klinkergruppe sind ein inhabergeführtes Familienunternehmen der Ziegelindustrie in Deutschland und können auf rund 130 Jahre Erfahrung zurückblicken. Heute befindet sich unsere ABC-Klinkergruppe in der fünften Generation. An sechs Standorten stellen wir unterschiedliche Ziegelprodukte her. Unser Produktportfolio umfasst Verblendklinker, Klinkerriemchen, Pflasterklinker, Dachziegel und Bodenkeramik.

NACHHALTIGKEIT

Wir produzieren unsere Naturbaustoffe nachhaltig und umweltschonend. Daher setzen wir auf einen geringen Energieaufwand in der Herstellung mit einer schonenden, effizienten Ressourcen-Nutzung und niedrigem Materialverbrauch. Die natürliche Schiefertonerde des Tecklenburger Landes bildet das Basismaterial unserer ABC-Produkte – ein wertvolles, echtes Natur-Produkt!





ABOUT US

We, the ABC Clinker Group, are a family-owned business in the brick and tile industry located in Germany. We look back on around 130 years of experience. Our product range is based on one of humans' oldest natural building materials - the clay. Today, our ABC Clinker Group is in the fifth generation and manufactures various brick products at six locations in Germany. Our product portfolio includes facing bricks, brick slips, paving bricks, clinker roof tiles and floor ceramics.

SUSTAINABILITY

We produce our natural building materials in a sustainable and environmentally friendly way. For this reason, we focus on low energy consumption in production with gentle, efficient use of resources and low material consumption.



The natural slate clay of the Tecklenburger Land forms the basic material of our ABC products - a valuable, genuine natural product!



Objekta Heavy duty, Hygienic, Anti-slip

Produktinformationen

R 11
Bewertungsgruppe
assessment group
unglasiert · unglazed
DIN EN 14411
Annex Alb UGL
Rot · Red (1821):
Annex Alla UGL











Format Nr. format no.	1100	1100/3	1100/5	1100/10	1120
Bezeichnung description	Bodenfliese Tile	Bodenfliese Tile	Bodenfliese Tile	Bodenfliese Tile	Auf Anfrage On request
Format mm	240x115x10	240x115x13	240x115x15	240x115x18	240x115x20
1923 Creme · Cream					
1924 Beige					
1927 Sandgelb · Sand yellow					
1821 Rot · Red					
1926 Braun · Brown					
1925 Grau · Grey					
m ² /lm pro Paket m ² /lm per packet	0,727 m ²	0,576 m ²	0,515 m ²	0,424 m ²	0,364 m ²
Stück/m ² /lm piece/m ² /lm	33 Stück/m ² pieces/m ²	33 Stück/m ² pieces/m ²	33 Stück/m ² pieces/m ²	33 Stück/m ² pieces/m ²	33 Stück/m ² pieces/m ²
kg/m ² /lm pro Stück kg/m ² /lm per piece	21 kg/m ²	27,3 kg/m ²	31,5 kg/m ²	38 kg/m ²	42 kg/m ²
Stück pro Paket piece per packet	24	19	17	14	12
Pakete pro Palette packets per pallet	72	72	72	72	72
Stück pro Palette piece per pallet	1.728	1.368	1.224	1.008	864
m ² /lm pro Palette m ² /lm per palett	52,344 m ²	41,472 m ²	37,08 m ²	30,528 m ²	26,208 m ²
kg pro Palette kg per pallet	1.099 kg	1.132 kg	1.165 kg	1.161 kg	1.100 kg

*Farbe kann von der Objekta Standardfarbe abweichen. Technische Änderungen vorbehalten./Colour may vary from Objekta standard colour. Technical information and specification subject to change.

Product information

Auch in R12 erhältlich!
Also available in R12!

7




1100/3	1610	1640	1100	4823	4822	8817	4100	4003/4004	Auf Anfrage on request
Noppenprofil Nobbed profile	Bodenfliese Tile	Bodenfliese Tile	Wandfliese Wall tile Tasna	Balkonabdeck- platte Balcony cover profiliert/profiling	Balkonabdeck- platte Balcony cover	Sockelleiste Skirting	Hohlkehlssockel Cove base	Innen-/Außen- ecke Inner-/outer corner	Innen-/Außen- ecke Inner-/outer corner
240x115x13	240x240x12	310x310x10	240x115x10	240x115x52x12	240x115x52x12	240x75x12	240x96x10	120x96x10	
			weiß white						
0,576 m ²	0,75 m ²	1 m ²	0,727 m ²	1,50 lm	1,50 lm	5,00 lm	4,00 lm	-	-
33 Stück/m ² pieces/m ²	16 Stück/m ² pieces/m ²	10 Stück/m ² pieces/m ²	33 Stück/m ² pieces/m ²	4 Stück/lm pieces/lm	4 Stück/lm pieces/lm	4 Stück/lm pieces/lm	3 Stück/lm pieces/lm	-	-
25 kg/m ²	26 kg/m ²	26 kg/m ²	19,5 kg/m ²	3,9 kg/lm	3,9 kg/lm	2 kg/lm	3,1 kg/lm	1 kg/Pair kg/pair	-
19	12	10	24	6	6	20	12	1 Paar pair	-
72	60	42	72	90	90	96	108	-	-
1.368	720	420	1.728	540	540	1.920	1.296	-	-
41,472 m ²	45 m ²	42,0 m ²	52,344 m ²	135 lm	135 lm	480 lm	324 lm	-	-
1.037 kg	1.170 kg	1.092 kg	1.021 kg	527 kg	527 kg	960 kg	907,2 kg	-	-

Passende Klinkerriemchen oder Wandfliese Piz Tasna in weiß lieferbar. **Weitere Formate und Stärken auf Anfrage. Ausschließlich Nettogewichte, ohne Gewähr. Alle Mengenangaben pro m²/lm sind inkl. Fugen.**
Matching clinker straps or wall tile Piz Tasna in white available. **Other formats and thicknesses on request. Net weights only, without guarantee. All quantities per m²/lm are incl. joints.**

Objekta **Heavy duty, Hygienic, Anti-slip**

Crème · cream



Beige



Sandgelb · Sand yellow



Grau · Grey



Rot · Red



Baum · Brown



Abweichungen in Farbe, Farbspiel und Proportionen können produktions-/drucktechnisch bedingt möglich sein./Subject to change. For technical reasons there may be color variations.



Objekta Grau · Objekta Grey | Wandfliese Tasna weiß · Wall tile Tasna white



asna white | Foto: Esendiller+Gnegel Designer



Objekta Braun · Objekta Brown | Foto: Heike Skamper

Objekta Heavy duty, Hygienic, Anti-slip

Rutschhemmende Bodenbeläge

Anti-slip floor ceramics

Zuordnung der Gesamtmittelwerte der Neigungswinkel zu den Bewertungsgruppen der Rutschhemmung.

Classification of the total mean values of the inclination angles to the evaluation groups of the slip resistance.

Gesamtmittelwerte mean value	Bewertungsgruppe assessment group
von 6° bis 10° from 6° and up to 10°	R 9
mehr als 10° bis 19° more than 10° and up to 19°	R 10
mehr als 19° bis 27° more than 19° and up to 27°	R 11
mehr als 27° bis 35° more than 27° and up to 35°	R 12
mehr als 35° more than 35°	R13

Produkteigenschaften product features

- Made in Germany
- Belastbar · heavy duty
- Hygienisch · hygienic
- Säure- und Alkalibeständig · acid- and alkali-resistant
- Schwalbenschwanzrückseite für perfekte Verbindung zum Montagematerial
dovetail backside for perfect connection with installation material
- Unglasiert · unglazed
- Herstellung nach DIN EN 14411 · production according to DIN EN 14411
- In den Stärken von 10 bis 18 mm erhältlich · available in 10 to 18mm thickness
- 6 Farben · 6 colours



We are SASO qualified!
Our Saudi Quality Mark Certificate
is available.

Zuordnung der Bezeichnung des Verdrängungsraumes zu den Mindestvolumina.

Classification of the designation of the displacement space to the minimum volumes.

Bezeichnung des Verdrängungsraumes Designation of the displacement space	Mindestvolumen des Verdrängungsraumes Minimum volume of displacement space (cm ³ /dm ²)
V 4	4
V 6	6
V 8	8
V 10	10

Anwendungsgebiete application areas


- Lebensmittelverarbeitende Industrie · food processing industry
- kommerzielle Küchen · commercial kitchens
- Industrie- und Gewerbebauten · industrial- and commercial buildings
- Verkehrsbauten · traffic buildings
- Lagerhallen · warehouses
- Schwimmstätten · swimming pools
- Sportstätten · sports facilities
- Innen- und Aussenbereich von privaten und öffentlichen Bauten · internal and external use of residential and public buildings
- etc.



Quality made in Germany

Oberflächen surfaces

Noppenprofil · nobbed profile



R10



R11



ABC-Spaltplatten ABC-Split Tiles

Spaltplatten von ABC-KERAMIK – das Original mit der Schwalbenschwanzrückseite für eine hohe Haftsicherheit!

ABC-Split Tiles – the original with the dovetail backside for a high adhesive tensile strength!



Anforderungen an keramische Bodenbeläge an nassbelasteten Barfussbereichen

Die Bewertung in den Gruppen A, B und C erfolgt gemäß DIN 51097.

Die erforderliche Rutschhemmung steigt von A über B bis C.

Requirements for ceramic floor coverings in wet barefoot areas

The groups A, B and C are evaluated according to DIN 51097.

The required slip resistance increases from A via B to C.

Bewertungs-Gruppe Load Group	Mindestneigungswinkel Minimum slope angle
A	12°
B	18°
C	24°

ABC-Clean

Die unglasierten Fliesen der ABC-Serie OBJEKTA sind mit dem ABC-Clean erhältlich.

Durch eine spezielle Behandlung sind die Fliesen sehr pflegeleicht und resistent gegen Fleckenbildung. Die Oberflächenbehandlung findet während des Brennvorgangs statt, so dass dieser Effekt dauerhaft in der Fliese bleibt und diese, auch nach langem Gebrauch, wie neu aussehen. Eine Imprägnierung der Fliesen nach der Verlegung ist nicht erforderlich.

ABC unglazed tiles series OBJEKTA is available with the ABC-Clean.

The special treatment makes the tiles very easy to clean and resistant to the formation of stains. The surface treatment takes place during the firing process so this effect remains permanently in the tile and they do look as new as the first day. An impregnation of the tiles after laying is not required.



Objekta **Heavy duty, Hygienic, Anti-slip**






Objekta **Heavy duty, Hygienic, Anti-slip**





Objekta **Heavy duty, Hygienic, Anti-slip**





Objekta **Heavy duty, Hygienic, Anti-slip**






Objekta **Heavy duty, Hygienic, Anti-slip**





Natural Extruded tiles at its best!




Feuerland




Swiss




Malta



Nordkap



Lanzarote



Borkum




We are SASO qualified!
Our Saudi Quality Mark Certificate
is available.

- Innen- und Aussenbereich von privaten und kommerziellen Gebäuden · indoor- and outdoor of private and commercial buildings
- Verkehrsbauten · traffic buildings
- Gaststätten und Beherbergungsgewerbe · restaurants and hotels
- Bildungsstätten · educational facilities
- Balkone und Terrasse · balconies and terraces
- Schwimmstätten · swimming pools
- etc.




Natural Lanzarote






Natural

Extruded tiles at its best!






Natural

Extruded tiles at its best!





Natural

Extruded tiles at its best!






Natural Extruded tiles at its best!










Produktinformationen

R 12
Bewertungsgruppe
assessment group
unglasiert · unglazed
DIN EN 14411
Annex Alla



Format Nr. format no.	1100	1610	1610	1640	3710	3720/2	3720	4830	4100
Bezeichnung description	Bodenfliese Tile	Bodenfliese Tile	Bodenfliese Tile	Bodenfliese Tile	Treppenstufe mit Profil Stair tread with profile	Treppenstufe mit Profil Stair tread with profile		Treppenwinkel mit Profil Stair angle with profile	Hohlkehlsockel Cove base
Format mm	240x115x10	240x240x12	240x240x10	310x310x8	300x115x12	300x240x12	300x240x8	300x240x40x12	240x96x10
1001 Feuerland	●		●	●	●		●	●	●
1002 Swiss	●		●	●	●		●	●	●
1821 Malta	●	●			●	●		●	●
1822 Nordkap	●	●			●	●		●	●
1823 Lanzarote	●	●			●	●		●	●
1825 Borkum	●	●			●	●		●	●
m ² /lm pro Paket m ² /lm per packet	0,727 m ²	0,75 m ²	1,00 m ²	1,50 m ²	1,75 lm	2,00 lm	4,688 lm	1,00 lm	4,00 lm
Stück/m ² /lm piece/m ² /lm	33 Stück/m ² pieces/m ²	16 Stück/m ² pieces/m ²	16 Stück/m ² pieces/m ²	10 Stück/m ² pieces/m ²	8 Stück/lm pieces/lm	4 Stück/lm pieces/lm	3,2 Stück/lm pieces/lm	4 Stück/lm pieces/lm	4 Stück/lm pieces/lm
kg/m ² /lm pro Stück kg/m ² /lm per piece	21 kg/m ²	25 kg/m ²	21 kg/m ²	17 kg/m ²	8,8 kg/lm	8,1 kg/lm	5,1 kg/lm	9 kg/lm	2,8 kg/lm
Stück pro Paket piece per packet	24	12	16	15	14	8	15	4	16
Pakete pro Palette packets per pallet	72	60	60	42	70	42	42	38	72
Stück pro Palette piece per pallet	1.728	720	960	360	980	336	630	152	1.152
m ² /lm pro Palette m ² /lm per pallet	52,344 m ²	45,0 m ²	60,00 m ²	63,00 m ²	122,5 lm	48 lm	196,88 lm	38 lm	288 lm
kg pro Palette kg per pallet	1.099 kg	1.225 kg	1.260 kg	1.071 kg	1078 kg	389 kg	1.004 kg	342 kg	807 kg


Product information

								
4822	4823	4826	8817	8817	4003+4004	9470	9411/8+9412/8	9471
Balkonabdeck- platte Balcony cover	Balkonabdeckplat- te mit Profil Balcony cover with profile	Balkonabdeckplat- te mit Nase Balcony cover with nose	Sockelleiste Skirting	Sockelleiste Skirting	Innenecke Inner corner	Florentiner Stufe Florentine tread	Florentiner Sockelleiste Florentine skirting	Florentiner Eckstufe Florentine corner
240x115x52	240x115x52x12	240x115x52x12	240x75x8	240x75x12	120x96x10	345x240x14	130x75x12	345x345x14
			 		     	     	     	     
1,50 lm	1,50 lm	1,50 lm	7,00 lm	5,00 lm	-	1,00 lm	-	-
4 Stück/lm pieces/lm	4 Stück/lm pieces/lm	4 Stück/lm pieces/lm	4 Stück/lm pieces/lm	4 Stück/lm pieces/lm	-	4 Stück/lm pieces/lm	-	-
3,9 kg/lm	3,9 kg/lm	3,9 kg/lm	1,2 kg/lm	2 kg/lm	1 kg/Paar kg/pair	12 kg/lm	0,1 kg/Stück kg/piece	4,8 kg/Stück kg/piece
6	6	6	28	20	1 Paar pair	4	4	1
90	90	90	120	96	-	48	-	-
540	540	540	3.360	1.920	-	192	-	-
135 lm	135 lm	135 lm	840 lm	480 lm	-	48 lm	-	-
527 kg	527 kg	527 kg	1.008 kg	960 kg	-	576 kg	-	-

Weitere Formate und Stärken auf Anfrage. Ausschließlich Nettogewichte, ohne Gewähr. Alle Mengenangaben pro m²/lm sind inkl. Fugen.
Other formats and thicknesses on request. Net weights only, without guarantee. All quantities per m²/lm are incl. joints.

Antik


R11 unglasiert · unglazed



R10 glasiert · glazed



R10 glasiert · glazed



Anwendungsgebiete application areas

- Innen- und Aussenbereich von privaten und kommerziellen Gebäuden · indoor- and outdoor of private and commercial buildings
- Verkehrsbauten · traffic buildings
- Gaststätten und Beherbergungsgewerbe · restaurants and hotels
- Bildungsstätten · educational facilities
- Balkone und Terrassen · balconies and terraces
- Schwimmstätten · swimming pools
- etc.

Farbe kann von Standardfarbe abweichen. Technische Änderungen vorbehalten./Colour may vary from standard colour. Technical information and specification subject to change.



Abweichungen in Farbe, Farbspiel und Proportionen können produktions-/drucktechnisch bedingt möglich sein./Subject to change. For technical reasons there may be color variations.




We are SASO qualified!
Our Saudi Quality Mark Certificate
is available.



Produktinformationen · Product information

DIN EN 14411
Annex Alb
unglasiert · unglazed
glasiert · glazed
Abriebgruppe 4
abrasion group 4



Format Nr. format no.	1610	1640	3720	3740	8830	8817	9460	9470	9471	9413
Bezeichnung description	Bodenfliese Tile	Bodenfliese Tile	Treppenstufe Stair tread	Treppenstufe Stair tread	Sockelleiste Skirting	Sockelleiste Skirting	Florentiner Stufe Florentine tread	Florentiner Stufe Florentine tread	Florentiner Eckstufe Florentine corner	Florentiner Sockelleiste Florentine skirting
Format mm	240x240x10	310x310x8	300x240x10	300x310x8	310x75x8	240x75x10	335x310x10	335x240x10	335x335x10	310x75x8
1207 Salzburg										
1208 Kitzbühl										
1706 Muschelweiß · Shell white										
1701 Sandstein · Sandstone										
1702 Kupfer · Copper										
1704 Bronze · Bronze										
1707 Mangan · Manganese										
m ² /lm pro Paket m ² /lm per packet	1,00 m ²	1,5 m ²	4 lm	4,68 m ²	8,75 lm · rm	7,00 lm	1,88 lm	1,50 lm	-	-
Stück/m ² /lm piece/m ² /lm	16 Stück/m ² pieces/m ²	10 Stück/m ² pieces/m ²	4 Stück/lm pieces/lm	3,2 Stück/lm pieces/lm	3,2 Stück/lm pieces/lm	4 Stück/lm pieces/lm	3,2 Stück/lm pieces/lm	4 Stück/lm pieces/lm	-	-
kg/m ² /lm pro Stück kg/m ² /lm per piece	21 kg/m ²	17 kg/m ²	6,4 kg/lm	5,1 kg/lm	1,2 kg/lm	1,5 kg/lm	8,7 kg/lm	7,3 kg/lm	3,9 kg/Stück kg/piece	0,4 kg/Stück kg/piece
Stück pro Paket piece per packet	16	15	16	15	28	28	6	6	1	4
Pakete pro Palette packets per pallet	60	42	51	42	100	120	24	32	-	-
Stück pro Palette piece per pallet	960	630	816	630	2800	3.360	144	192	-	-
m ² /lm pro Palette m ² /lm per pallet	60 m ²	63 m ²	204 lm	196,88 lm	45 lm	840 lm	45 lm	48 lm	-	-
kg pro Palette kg per pallet	1.260 kg	1.071 kg	1.306 kg	1.004 kg	1.050 kg	1.008 kg	390 kg	350 kg	-	-

Weitere Formate und Stärken auf Anfrage. Ausschließlich Nettogewichte, ohne Gewähr. Alle Mengenangaben pro m²/lm sind inkl. Fugen.
Other formats and thicknesses on request. Net weights only, without guarantee. All quantities per m²/lm are incl. joints.

Cosmopolitan

London
anthrazit- anthracite



New York
grau- grey



Berlin
beige



Milano
braun-brown



Anwendungsgebiete application areas

Moderne und stilvolle Gestaltung von kommerziellen Gebäuden wie

- Banken, Hotels, Eingänge, Geschäftsräume
- Öffentliche und private Gebäude im Innen- und Aussenbereich
- etc.

Modern and stylish design of commercial buildings as




- banks, hotels, lobbies, business premises
- indoor and outdoor of public and private buildings
- etc.

We are SASO qualified!
Our Saudi Quality Mark Certificate
is available.



Produktinformationen · Product information

R 11
Bewertungsgruppe
assessment group
glasiert · glazed
DIN EN 14411
Annex Alb GL



Format Nr. format no.	3030	8835	4822
Bezeichnung description	Bodenfliese Tile	Sockelleiste Skirting	Balkonabdeckplatte Balcony cover
Format mm	300x300x10	300x75x8	300x115x10
London anthrazit- anthracite			
New York grau- grey			
Berlin beige			
Milano braun-brown			
m ² /lm/Stück pro Paket m ² /lm/pieces per packet	1,2 m ²	6,25 lm	
Stück/m ² /lm piece/m ² /lm	10 Stück/m ² pieces/m ²	3,2 Stück/lm pieces/lm	
kg/m ² /lm pro Stück kg/m ² /lm per piece	20 kg/m ²	1,2 kg/lm	
Stück pro Paket piece per packet	12	20	
Pakete pro Palette packets per pallet	42	126	
Stück pro Palette piece per pallet	504	2.520	
m ² /lm pro Palette m ² /lm per pallet	50,4 m ²	787,50 lm	
kg pro Palette ca. kg per pallet approx.	1.008 kg	945 kg	



Cosmopolitan





Smart



Beige




Greige



Grau · Grey



Anthrazite · Anthracite



Mocca · Mocha

Anwendungsgebiete application areas

Ästhetisch anspruchsvolle Gestaltung von kommerziellen Gebäuden wie

- Banken, Hotels, Eingänge, Geschäftsräume
- Öffentliche und private Gebäude im Innen- und Aussenbereich
- etc.

Aesthetically superior design of commercial buildings as


- banks, hotels, lobbies, business premises
- indoor and outdoor of public and private buildings
- etc.



Abweichungen in Farbe, Farbspiel und Proportionen können produktions-/drucktechnisch bedingt möglich sein./Subject to change. For technical reasons there may be color variations.

Produktinformationen

R 10
Bewertungsgruppe
assessment group
glasiert · glazed
DIN EN 14411
Annex Alb GL
Abriebgruppe 4
abrasion group 4







Format Nr. format no.	1515	2020	3030
Bezeichnung description	Bodenfliese Tile	Bodenfliese Tile	Bodenfliese Tile
Format mm	150x150x8	200x200x8	300x300x8
Beige			
Greige			
Grau · grey			
Anthrazite · Anthracite			
Mocca · Mocha			
m ² /lm pro Paket m ² /lm per packet	1,539 m ²	0,96 m ²	1,5 m ²
Stück/m ² /lm piece/m ² /lm	39 Stück/m ² pieces/m ²	23 Stück/m ² pieces/m ²	10 Stück/m ² pieces/m ²
kg/m ² /lm pro Stück kg/m ² /lm per piece	17 kg/m ²	17 kg/m ²	17 kg/m ²
Stück pro Paket piece per packet	60	22	15
Pakete pro Palette packets per pallet	42	96	42
Stück pro Palette piece per pallet	2.520	2.112	630
m ² /lm pro Palette m ² /lm per pallet	64,638 m ²	92,16 m ²	63 m ²
kg pro Palette kg per pallet	1.099 kg	1.567 kg	1.071 kg

We are SASO qualified!

Our Saudi Quality Mark Certificate is available.



Product information



9460	9471	8835	9413	4922
Florentiner Stufe Florentine tread	Florentiner Eckstufe Florentine corner	Sockelleiste Skirting	Florentiner Sockelleiste Florentine skirting	Balkonabdeckplatte mit Nase Balcony cover with nose
335x310x10	335x335x10	310x75x8	310x75x8	310x115x52x10
1,88 lm	-	6,25 m ²	-	1,88 lm
3,2 Stück/lm pieces/lm	-	3,2 Stück/lm pieces/lm	-	3,2 Stück/lm pieces/lm
8,6 kg/lm	3,9 kg/Stück kg/piece	1,2 kg/lm	0,4 kg/Stück kg/piece	3,1 kg/lm
6	1	20	4	6
24	-	126	-	60
144	-	2.520	-	360
45 lm	-	875 lm	-	112,50 lm
390 kg	-	945 kg	-	350 kg

Weitere Formate und Stärken auf Anfrage. Ausschließlich Nettogewichte, ohne Gewähr. Alle Mengenangaben pro m²/lm sind inkl. Fugen. Farbe kann von Standardfarbe abweichen.
 Technische Änderungen vorbehalten.
 Other formats and thicknesses on request. Net weights only, without guarantee. All quantities per m²/lm are incl. joints. Colour may vary from standard colour.
 Technical information and specification subject to change.

Smart


Beige




Greige



Grau · Grey



Anthrazite · Anthracite



Mocca · Mocha



*We are SASO qualified!
Our Saudi Quality Mark Certificate
is available.*





Urban



Lichtgrau · Light grey



Schiefergrau · Slate grey



*We are SASO qualified!
Our Saudi Quality Mark Certificate
is available.*

Anwendungsgebiete application areas

Stilgerechte Gestaltung von kommerziellen Gebäuden wie

- Banken, Hotels, Eingänge, Geschäftsräume
- Bildungsstätten
- Öffentliche und private Gebäude im Innen - und Außenbereich
- etc.

Stylish design of commercial buildings as

- banks, hotels, lobbies, business premises
- educational facilities
- indoor and outdoor of public and private buildings
- etc.







Urban Hellgrau · Urban Light grey/ Foto: Vexcolt Europe BV



Produktinformationen · Product information

R 10
Bewertungsgruppe
assessment group
glasiert · glazed
DIN EN 14411
Annex Alb GL
Abriebgruppe 4
abrasion group 4




Format Nr. format no.	1640	3147	8835	9460	9471	9413
Bezeichnung description	Bodenfliese Tile	Bodenfliese Tile	Sockelleiste Skirting	Florentiner Stufe Florentine tread	Florentiner Eckstufe Florentine corner	Florentiner Sockelleiste Florentine skirting
Format mm	310x310x8	310x470x8	310x75x8	335x310x10	335x335x10	310x75x8
2005 Lichtgrau · Light grey						
2006 Schiefergrau · Slate grey						
m ² /lm pro Paket m ² /rm per packet	1,50 m ²	1,23 m ²	6,25 lm	1,88 lm	-	-
Stück/m ² /lm piece/m ² /rm	10 Stück/m ² pieces/m ²	6,5 Stück/m ² pieces/m ²	3,2 Stück/lm pieces/lm	3,2 Stück/lm pieces/lm	-	-
kg/m ² /lm pro Stück kg/m ² /lm per piece	17 kg/m ²	17 kg/m ²	1,2 kg/lm	8,64 kg/lm	3,9 kg/Stück kg/piece	0,4 kg/Stück kg/piece
Stück pro Paket piece per packet	15	8	20	6	1	4
Pakete pro Palette packets per pallet	42	36	126	24	-	-
Stück pro Palette piece per pallet	360	288	2.520	144	-	-
m ² /lm pro Palette m ² /lm per palett	63 m ²	44,28 m ²	787,50 lm	45 lm	-	-
kg pro Palette kg per pallet	1.071 kg	863 kg	945 kg	390 kg	-	-

Weitere Formate und Stärken auf Anfrage. Ausschließlich Nettogewichte, ohne Gewähr. Alle Mengenangaben pro m²/lm sind inkl. Fugen. Farbe kann von Standardfarbe abweichen.
Technische Änderungen vorbehalten.
Other formats and thicknesses on request. Net weights only, without guarantee. All quantities per m²/lm are incl. joints. Colour may vary from standard colour.
Technical information and specification subject to change.

Classic



Santorin



Beige · Beige



Grau · Grey



Piz Kesch

Anwendungsgebiete application areas

- Kommerzielle Gebäude · commercial buildings
- Eingänge · lobbies
- Gaststätten und Beherbergungsgewerbe · restaurants and hotels
- Bildungsstätten · educational facilities
- etc.




We are SASO qualified!
Our Saudi Quality Mark Certificate is available.










Produktinformationen

R 10
Bewertungsgruppe
assessment group
glasiert · glazed
DIN EN 14411
Annex Alb GL
Abriebgruppe 4
abrasion group 4




Format Nr. format no.	1100	1610	1640
Bezeichnung description	Bodenfliese Tile	Bodenfliese Tile	Bodenfliese Tile
Format mm	240x115x10	240x240x10	310x310x8
1474 Santorin			
1453 Beige · Beige			
1452 Grau · Grey			
1659 Piz Kesch			
m ² /lm pro Paket m ² /lm per packet	0,27 m ²	1,00 m ²	1,50 m ²
Stück/m ² /lm piece/m ² /lm	33 Stück/m ² pieces/m ²	16 Stück/m ² pieces/m ²	10 Stück/m ² pieces/m ²
kg/m ² /lm pro Stück kg/m ² /lm per piece	21 kg/m ²	21 kg/m ²	17 kg/m ²
Stück pro Paket piece per packet	24	16	15
Pakete pro Palette packets per pallet	72	60	42
Stück pro Palette piece per pallet	1.728	960	360
m ² /lm pro Palette m ² /lm per pallet	52,344 m ²	60 m ²	63 m ²
kg pro Palette kg per pallet	1.104 kg	1.260 kg	1.071 kg

Product information

							
8817	8835	3740	9470	9460	9471	9413	4822
Sockelleiste Skirting	Sockelleiste Skirting	Treppenstufe Stair tread	Florentiner Stufe Florentine tread	Florentiner Stufe Florentine tread	Florentiner Eckstufe Florentine corner	Florentiner Sockelleiste Florentine skirting	Balkonabdeckplatte Balcony cover
240x75x10	310x75x8	300x310x8	335x240x10	335x310x10	335x335x10	310x75x8	240x115x52x12
							
							
							
							
7,00 lm	8,75 lm	4,69 lm	1,50 lm	1,88 lm	-	-	1,5 lm
4 Stück/lm pieces/lm	3,2 Stück/lm pieces/lm	3,2 Stück/lm pieces/lm	4 Stück/lm pieces/lm	3,2 Stück/lm pieces/lm	-	-	4 Stück/lm pieces/lm
1,5 kg/lm	1,2 kg/ lm	5,1 kg/lm	7,32 kg/lm	8,64 kg/lm	3,9 kg/Stück kg/piece	0,4 kg/Stück kg/piece	3,9 kg/lm
28	28	15	6	6	1	4	6
120	100	42	32	24	-	-	90
3.360	2800	630	192	144	-	-	540
840 lm	875 lm	196,88 lm	48 lm	45 lm	-	-	135 lm
1.008 kg	1.050 kg	1.004 kg	350 kg	390 kg	-	-	527 kg

Weitere Formate und Stärken auf Anfrage. Ausschließlich Nettogewichte, ohne Gewähr. Alle Mengenangaben pro m²/lm sind inkl. Fugen. Farbe kann von Standardfarbe abweichen.
 Technische Änderungen vorbehalten.
 Other formats and thicknesses on request. Net weights only, without guarantee. All quantities per m²/lm are incl. joints. Colour may vary from standard colour.
 Technical information and specification subject to change.

Trend



Anwendungsgebiete application areas

- Kommerzielle Gebäude · commercial buildings
- Eingänge · lobbies
- Gaststätten und Beherbergungsgewerbe · restaurants and hotels
- Bildungsstätten · educational facilities
- etc.




We are SASO qualified!
Our Saudi Quality Mark Certificate is available.











Produktinformationen

R 10
Bewertungsgruppe
assessment group
glasiert · glazed
DIN EN 14411
Annex Alb GL
Abriebgruppe 4
abrasion group 4





Format Nr. format no.	1010	2020	3030
Bezeichnung description	Bodenfliese Tile	Bodenfliese Tile	Bodenfliese Tile
Format mm	100x100x8	200x200x8	300x300x8
1485 Weiß · White			
1480 Hellgrau · Light grey			
1482 Blau · Blue			
1481 Dunkelgrau · Dark grey			
m ² /lm pro Paket m ² /lm per packet	1,63 m ²	0,96 m ²	1,5 m ²
Stück/m ² /lm piece/m ² /lm	83 Stück/m ² pieces/m ²	23 Stück/m ² pieces/m ²	10 Stück/m ² pieces/m ²
kg/m ² /lm pro Stück kg/m ² /lm per piece	17 kg/m ²	17 kg/m ²	17 kg/m ²
Stück pro Paket piece per packet	135	22	15
Pakete pro Palette packets per pallet	42	69	42
Stück pro Palette piece per pallet	5.670	1.518	630
m ² /lm pro Palette m ² /lm per pallet	68,46 m ²	66,24 m ²	63 m ²
kg pro Palette kg per pallet	1.164 kg	1.026 kg	1.071 kg

Product information

						
3740	8835	9999	4822	9480	9413	9481
Treppenstufe Stair tread	Sockelleiste Skirting	Einleger, vorgecuttet Inlays precut	Balkonabdeckplatte Balcony cover	Modenastufe Modena tread	Modena-Sockelleiste links/rechts Modena skirting applicable left/right	Innen-/Außenecke Inner and outer corner
300x310x8	310x75x8	99x99x8	240x115x52x12	345x310x10	300x310x8	345x345x10
						
4,68 m ²	6,25 m ²	1,50 lm	1,5 lm	1,88 lm	-	-
3,2 Stück/lm pieces/lm	3,2 Stück/m ² pieces/m ²	90 Stück/lm pieces/lm	4 Stück/lm pieces/lm	3,2 Stück/lm pieces/lm	-	-
5,1 kg/lm	1,2 kg/lm	17,0 kg/m ²	3,9 kg/lm	8,64 kg/lm	0,04 kg/lm · rm	3,9 kg/Paar kg/pair
15	20	135	6	6	4	1
42	126	42	90	24	-	-
630	2.520	5.670	540	144	-	-
196,88 lm	787,50 lm	63 lm	135 lm	45 lm	-	-
1.004 kg	945 kg	1.071 kg	527 kg	390 kg	-	-

Weitere Formate und Stärken auf Anfrage. Ausschließlich Nettogewichte, ohne Gewähr. Alle Mengenangaben pro m²/lm sind inkl. Fugen. Farbe kann von Standardfarbe abweichen.
 Technische Änderungen vorbehalten.
 Other formats and thicknesses on request. Net weights only, without guarantee. All quantities per m²/lm are incl. joints. Colour may vary from standard colour.
 Technical information and specification subject to change.





Produkteigenschaften · product features

	Frostbeständig frost-resistant		Witterungsbeständig weatherproof		Rutschhemmend anti-slip
	Umweltschonend environmentally friendly		Brandverhalten: Euroklasse A1 fire behavior: euroclass A1		Säure- und Laugenbeständig acid- and alkali-resistant
	geringe Wasseraufnahme low water absorption		Leicht zu reinigen easy to clean		Schmutzunempfindlich insensitive to dirt
	Farbbeständig colourfast		Chemisch neutral chemically neutral		Produktion gemäß DIN EN 14411 production according to DIN EN 14411
	Geruchsneutral odourless		Hohe Belastbarkeit high load capacity		Zertifizierte Qualität certified quality
	Hohe Biegefestigkeit high bending strength		Hygienisch hygienic		Fleckenschutz anti-stain protection

 *Quality made in Germany*

We are SASO qualified! Our Saudi Quality Mark Certificate is available.


*Umweltschonend
 durch 150 Jahre
 Nutzungsdauer –
 bestätigt durch eine
 unabhängige EPD.*





Objekta Rot · Objekta Red



Objekta Grau · Objekta Grey / Wandfliese Tasna weiß · Wall tile Tasna white

General Terms and Conditions

1. General, validity

The following conditions are an integral part of all agreed sales of ABC-Klinker Group products, especially brick products (hereinafter "goods"). This also applies if we do not expressly refer to them in later agreements, unless the contractual partner (hereinafter also referred to as the "Purchaser") is a consumer in accordance with Section 13 of BGB (German Civil Law). General Sales Conditions or other General Terms and Conditions imposed by the Purchaser shall not apply to us. These General Conditions for Supply and Payment apply to all sales by the ABC Klinker Group companies listed in Annex 1 (hereinafter also referred to as the "Vendor").

2. Quotations

- 2.1 Our quotations are non-binding unless otherwise agreed and delivery has been made. The Purchaser alone is responsible for the correct selection and quantity.
- 2.2 Technical data and descriptions in the respective product information or advertising material do not represent a guarantee of the quality or durability of the goods supplied by us.
- 2.3 Brick products are manufactured in a natural baking process. Deviations, changes or tolerances caused by this – with the exception of incorrect deliveries – do not represent a deviation from the agreed and customary quality, provided that they comply with the DIN standard. No claim for defects shall exist if the goods supplied are suitable for the use stipulated in the contract or for normal use, and they are of a quality normal for a product of this type and which the Purchaser can expect from this type of goods. No claim for defects shall exist if there are only minor deviations from the agreed quality.

3. Delivery and acceptance

- 3.1 Delivery occurs upon collection of the goods from the factory, or at the agreed place; if this is subsequently changed at the request of the Purchaser, the Purchaser shall bear all the costs incurred.
- 3.2 Binding delivery dates require an explicit written agreement.
- 3.3 The Vendor shall not be liable to any company for the impossibility of delivery or for delays in delivery if these are caused by force majeure or other events unforeseeable at the time of conclusion of the agreement (e.g. operational malfunctions of any kind, difficulties with the supply of materials or energy, transport delays, strikes, legal lockouts, lack of manpower, energy or raw materials, difficulties in acquiring necessary official permits, official sanctions, or missing, incorrect or non-timely deliveries from suppliers), for which the Vendor is not responsible. If such events significantly impede delivery or service by the Vendor, or make this impossible, and the impediment is not only of temporary duration, the Vendor shall be entitled to withdraw from the agreement. In the event of impediments of a temporary duration, the deadline for delivery or performance of service to companies shall be extended by the period of the impediment plus an appropriate lead time. If the business client cannot reasonably be expected to accept the delivery or service as a result of the delay, he may withdraw from the agreement by means of immediate written notification to the Vendor. Our deliveries and services to consumers shall take place as quickly as possible, at the latest within a period of approximately four weeks, provided no fixed deadline or date is agreed. If we fail to meet a delivery date agreed with consumers, the Purchaser shall set an appropriate extension of time, which may in no case be less than two weeks. We shall inform the Purchaser immediately in the event of difficulties or delays in delivery.
- 3.4 The Purchaser shall be liable in the event of incorrect or incomplete information provided when placing an order. When delivering to the agreed place, the vehicle must be able to access and leave this without any danger. This supposes that the surface is sufficiently solid for a heavy lorry to access it unobstructed. If this condition is not met, the Purchaser shall be liable for all resulting damage unless the Purchaser is not responsible for the non-existence of these conditions; registered businesses shall bear responsibility regardless. If the Purchaser is a registered business, the person signing the delivery note shall be considered by us to be authorised to accept the goods and confirm receipt unless, due to specific circumstances, we may not assume that the person signing has the authority to receive goods.
- 3.5 If acceptance is refused, late, delayed or otherwise improper, the Purchaser is obliged, irrespective of this, to compensate with payment of the purchase price, unless he is not responsible for the refusal, lateness, delay or other improper circumstances of acceptance; in the event that they collect the goods from the factory, registered businesses shall bear responsibility regardless. Multiple purchasers shall bear joint liability for proper acceptance of the goods and payment of the purchase price. We shall provide the goods or services to each of these with effect for and against every one.
- 3.6 Packaging provided by us shall be taken back to our business premises in accordance with the statutory obligations provided it is empty of residue and not dirty, and delivered sorted by the Purchaser or at his expense.

4. Transfer of risk

- 4.1 If, at the Purchaser's request, the goods are shipped to a place other than the place of fulfilment, and if the Purchaser is a registered business, the risk of accidental loss of the goods shall be transferred to the Purchaser at the time the goods are handed over to the carrier, but no later than the time the goods leave the factory, regardless of whether dispatch is carried out from the place of performance and who bears the cost of shipment, whether shipment is made using external transport or our own vehicles.
- 4.2 When goods are collected from the factory, the risk of accidental loss and of accidental degradation of the goods shall be transferred to the Purchaser at the time their vehicle leaves our factory site. In the case of delivery to an address outside the factory, this risk shall be transferred to the Purchaser as soon as the vehicle arrives at the place of delivery, but no later than it leaves the public road in order to drive onto the agreed place of delivery.

5. Cost increases, terms of payment

- 5.1 If, between issue of our quotation and delivery, our costs for energy, transport and/or wages increase, we shall be entitled, irrespective of the quotation and confirmation of the order, to adjust our selling price in accordance with the change in costs; this does not apply to deliveries to a consumer which, except in cases of long-term debt, are to be performed within four months of conclusion of the agreement. If this adjustment results in an increase in the nett selling price of more than 10%, the Purchaser is entitled to withdraw from the agreement.
- 5.2 Unless otherwise agreed in writing, our invoices shall be payable immediately, and no later than 30 days after the invoice date, without any deductions. Should the Purchaser fail to pay on time, we shall be entitled to charge interest for late payment of at least 5% over the base interest rate at that time; in the case of registered businesses, we shall be entitled to charge interest for late payment of at least 9% over the base interest rate at the time. Assertion of further damages in this case remains unaffected.
- 5.3 If the Purchaser is a registered business, he shall relinquish the right to make any claim to right of retention, unless the claim by the Purchaser on which the right of retention is supported is not disputed by us, is acknowledged or has been legally established.

6. Notification of defects, claims for defects

- 6.1 The Purchaser shall report any obvious defects of any form whatsoever immediately upon receipt of the goods. In this case, the Purchaser shall leave the goods untouched in order that we can inspect them. Defects that are not obvious, of any form whatsoever, must be reported by the Purchaser immediately after their discovery, but no later than one year after their delivery; this does not apply to defects for which Section 438 para. 1 no. 2 b of BGB apply. Complaints made verbally or by telephone must be confirmed in writing. In the event that complaints are not made properly or in good time, the goods shall be deemed to have been accepted.

- 6.2 The Purchaser is initially entitled to demand rectification of a defect. If the Purchaser is a registered business, we shall only provide rectification in the form of delivery of a defect-free item. If rectification fails, the Purchaser is entitled, at his discretion, to reduce the purchase price or to withdraw from the agreement. The provisions of clause 8 apply to claims for damages.
- 6.3 Claims for damages by registered businesses shall lapse one year after delivery of the goods; this does not apply to claims for damages in accordance with Section 438 para. 1 no. 2 b of BGB, unless the damage is a result of a deliberate or grossly negligent breach of duty by us or by our legal representative or vicarious agent, or the damage consists of injury to life, limb or health, or we have maliciously concealed the damage.

7. Security interests

- 7.1 Goods delivered shall remain our property until payment of the full purchase price has been made. If the Purchaser is a registered business, goods delivered shall remain our property until payment of all claims that we have against the Purchaser. The Purchaser may neither pledge our goods nor assign them as security, but he may resell or process them in the normal course of business, unless he has already effectively assigned the claim against a contractual partner to a third party in advance or agreed a prohibition of assignment with a contractual partner.
- 7.2 Any processing of our goods by the Purchaser to form a new moveable property shall be carried out on our behalf for our benefit without giving rise to any liability on our part. If the goods delivered by us are processed with other objects which do not belong to us, we shall acquire co-ownership of the new object in proportion to the ratio of the value of our goods (7.9) to the value of the other processed goods at the time of processing. In the event that the Purchaser acquires sole or co-ownership of a new unified object through connection, mixture or amalgamation of our goods with other moveable objects, he shall at this point transfer to us, as security for fulfilment of the claims listed in clause 7.1 sentence 2, the right of ownership in proportion to the ratio of the value of our goods (7.9) to the value of the other objects. We shall retain co-ownership until our claims have been fulfilled in full in accordance with clause 7.1 sentence 2.
- 7.3 In order to secure fulfilment of our claims in accordance with clause 7.1 sentence 2, the Purchaser also hereby assigns to us all claims arising in the future from the resale of our goods and all subsidiary rights in the amount of the value of our goods (7.9), with priority over the remaining portion of his claims. We hereby assume declaration of assignment by the Purchaser.
- 7.4 In the event that the Purchaser sells our goods together with other goods not belonging to us or new objects produced from our goods or our goods with a piece of land belonging to a third-party, or connects, mixes or amalgamates it with a moveable object belonging to a third party, and he acquires a claim for this which also covers his other services, he shall at this point assign to us, as security for fulfilment of our claims in accordance with clause 7.1 sentence 2, this claim with all subsidiary rights in the amount of the value of our goods (7.9), with priority over the remaining portion of his claims. The same applies to the same extent to any right on his part to grant security interests in accordance with Sections 648 and 648 a of BGB due to his processing of our goods for and in the amount of our total outstanding claims. We hereby assume declaration of assignment by the Purchaser. Upon our request, the Purchaser shall provide proof of these individual claims and shall inform subsequent purchasers of the assignment, and instruct them to make payment to us of an amount corresponding to the claims in accordance with clause 7.1 sentence 2. We shall also be entitled to inform subsequent purchasers of the assignment ourselves and to collect the claims. In the meantime we shall not make use of the rights in accordance with sentences 4 and 5 of this paragraph and shall not collect the claims provided the Purchaser properly fulfils his payment obligations.
- 7.6 The Purchaser may neither assign nor pledge to third parties his claims against subsequent purchasers in the amount of the value of our goods (7.9), nor agree to a prohibition of assignment with subsequent purchasers.
- 7.7 The Purchaser shall store all objects of which we are owner or co-owner with the diligence of a prudent businessman and at no charge. The Purchaser shall inform us immediately of any attachment or any other impairment of our rights by third parties. He shall hand over to us any documents necessary for an intervention and shall pay any costs incurred by us as a result of intervention, provided that these cannot be recovered from third parties.
- 7.8 In the case of current invoices, our security shall be deemed to be security for fulfilment of our outstanding balance claims.
- 7.9 The "value of our goods" for the purpose of this clause 7 is the total amount of the purchase price indicated in our invoice (including VAT).
- 7.10 At the Purchaser's request, we shall release the securities to which we are entitled to the extent that their value exceeds our claims by 10%.

8. Claims for damages

Claims for damages by the Purchaser, especially due to breaches of contractual obligations, misconduct during contractual negotiations, or non-contractual liability, are excluded provided that the damage is not a result of deliberate or grossly negligent breach of duty by us or our legal representative or vicarious agents, or caused by breach of an obligation fundamental to the agreement or by a defect maliciously concealed by us, and the damage does not consist of injury to life, limb or health. In the event of breach of an obligation fundamental to the agreement where the negligence is ordinary or minor we shall not be liable for damage that was not foreseeable at the time of conclusion of the agreement. Liability in accordance with product liability law shall remain unaffected thereby.

9. Applicable law, place of jurisdiction, partial invalidity

If the Purchaser is a registered business, the place of fulfilment for delivery is our supplying factory. The place of fulfilment for payment is the head office of our sales company if we operate one, otherwise it is the location of our head office.

The place of jurisdiction for all legal disputes arising from the contractual relationship and those arising from the creation and validity of the agreement (also for disputes regarding bills of exchange and cheques) with registered businesses is our administrative headquarters, or at our discretion the location of our delivery factory or our sales company.

The location in accordance with para.1 is also the place of jurisdiction if the Purchaser has no place of general jurisdiction in Germany, relocates his domicile or permanent address away from Germany after conclusion of the agreement, or his domicile is not known at the time proceedings are initiated. If our head office in accordance with paras. 1 and 2 is the place of jurisdiction, we are also entitled to file a suit against the Purchaser at this place of jurisdiction.

The laws of the Federal Republic of Germany shall apply exclusively to these General Conditions for Supply and Payment, and to the entire legal relationship between the Vendor and the Purchaser, to the exclusion of the provisions of the UN Convention on the Sale of Goods.

Should any provision in these General Conditions for Supply and Payment or any provision in other agreements be or become invalid, this shall not affect any of the other provisions or agreements.

ABC-Produktportfolio · ABC-product range



Verblendklinker
Facing bricks



Klinkerriemchen
Bricks slips



ABC-NORDIC®



Pflasterklinker
Clay pavers



Klinkerdachziegel
Roof tiles



Bodenkeramik
Floor ceramics



**Zentrale/Headoffice**

ABC-Klinkergruppe
Grüner Weg 8 · D-49509 Recke
Tel. +49 (0) 54 53 / 93 330 · Fax +49 (0) 54 53 / 93 33 45
abc@abc-klinker.de · www.abc-klinker.de

Klinker- und Keramikwerke · A. Berentelg & Co. KG*Klinkerwerk Hörstel*

Dornierstraße 11 · D-48477 Hörstel
Tel. +49 (0) 54 59 / 93 430 · Fax +49 (0) 54 59 / 93 43 30
Ausstellung „Ringofen“ im Klinkerwerk
Tel. +49 (0) 54 59 / 93 43 11

Klinker- und Keramikwerke · A. Berentelg & Co. KG*Klinkerwerk Schüttorf*

An der Ziegelei 6 · D-48465 Schüttorf
Tel. +49 (0) 59 23 / 96 000 · Fax +49 (0) 59 23 / 96 00 20

Recker Ziegelwerk · Berentelg & Hebrok OHG

Mettinger Straße 135 · D-49509 Recke
Tel. +49 (0) 54 53 / 9 30 50 · Fax +49 (0) 54 53 / 93 05 55

Hollager Ziegelwerk · Berentelg & Hebrok GmbH & Co. KG

Hollager Straße 106 · D-49134 Wallenhorst-Hollage
Tel. +49 (0) 54 07 / 8 30 40 · Fax +49 (0) 54 07 / 5 93 30

KDW-Klinkerdachziegelwerk · GmbH & Co. KG

Ziegeleiweg 1b · D-49170 Natrup-Hagen
Tel. +49 (0) 54 05 / 6 19 19 60 · Fax +49 (0) 54 05 / 6 19 19 70

ABC-Keramik · H & R Berentelg GmbH & Co. KG

Industriestraße 10 · D-49492 Westerkappeln
Tel. +49 (0) 54 56 / 93 470 · Fax +49 (0) 54 56 / 93 47 40

